

Amendments to the Claims

1. (Currently Amended) A method for supporting a picture-in-picture (PIP) type time shifting comprising:

~~a first display step of~~ receiving a plurality of broadcasting programs ~~received~~ through a broadcasting network, and displaying the respective live broadcasting programs through a PIP structure on a screen;

selecting one of the displayed plurality of broadcasting programs and displaying the selected one of the broadcasting programs on the screen;

time-shifting the selected one of the displayed plurality of broadcasting programs;

~~a second display step of selectively storing in a storage section the time-shifted broadcasting program one among the plurality of broadcasting programs displayed at the first display step, and selectively reproducing the stored broadcasting program through the time shifting to display the stored broadcasting program on the screen; and~~

~~a third display step of displaying through the PIP structure on the screen at least one of the live broadcasting programs simultaneously together with the time-shifted broadcasting program of the second display step.~~

2. (Currently Amended) The method as claimed in claim 1, ~~the third display step further comprises the step of~~ wherein the displaying step comprises removing the picture of the selected broadcasting program

reproduced through the time shifting, and displaying the plurality of the currently received live broadcasting programs through the PIP structure.

3. (Currently Amended) The method as claimed in claim 1, wherein the ~~third display step further comprises the steps of~~ displaying step comprises:

removing the corresponding live broadcasting program currently received and storing the corresponding live broadcasting program in the storage section;

reproducing the stored corresponding broadcasting program; and

displaying the currently received live broadcasting program and the reproduced broadcasting program through the PIP structure on the screen.

4-23. (Canceled).

24. (New) A method for supporting a picture-in-picture (PIP) type time shifting, the method comprising:

receiving a plurality of broadcasting programs through a broadcasting network;

receiving a plurality of broadcasting program lists through the broadcasting network, and displaying the broadcasting program lists on a screen;

selecting one of the broadcasting program lists;

displaying the broadcasting programs based on the selected broadcasting program list;

time-shifting the selected one of the displayed plurality of broadcasting programs;

storing in a storage section the time-shifted broadcasting program; and

displaying through a picture-in-picture (PIP) structure on the screen at least one of the live broadcasting programs simultaneously together with the time-shifted broadcasting program.